

## Vertical Screen T Blade

### Application and Design

EES-T200V is an equipment screen designed to inhibit vision while also serving as a protective barrier. Design incorporates extruded aluminum vertical T style blades as well as horizontal rear supports as required to meet the specified windload. Inside or outside formed aluminum box corner members are available as required. This product is shipped in factory-assembled sections. Model EES-T200V offers a visually pleasing effect, enabling designers to select and apply with confidence.

### Standard Construction

**Reinforcing . . .** Rear supports shall be designed to meet 25 psf windload. Consult Greenheck for higher windload capabilities.

**Blades . . . . .** 6063T5 extruded aluminum with 0.081 in. nominal thickness. Blades are 3 in. wide and 2 in. deep, spaced at 5 in. Vertical arrangement is standard.

**Construction . . .** Mechanically fastened

**Finish . . . . .** Mill


**Minimum Size . .** 24 in. W x 24 in. H

**Maximum Single**

**Section Size . . .** 120 in. W or 120 in. H (limited to 70 sq. ft.)

### Options *(at additional cost)*


- Inside/outside formed aluminum box corners
- A variety of architectural finishes including:
  - Clear anodize
  - Integral color anodize
  - Baked enamel paint
  - Kynar paint



# PRODUCT DETAILS

# EES-T200V

Vertical Screen  
T Blade



EES-T200V  
September 2007 Rev. 1  
Copyright © 2007 Greenheck Fan Corporation

Greenheck Fan Corporation reserves the right to make product changes without notice.